
DOWINX

66H6 SERIES
ASSEMBLY INSTRUCTIONS

English | 한국어



Recommended number of installers: 2
권장 설치 인원: 2명

Book Ver. 1.1
Product Ver. sn1.1

(All illustrations are for illustrative purposes only)
(모든 그림은 예시 이미지입니다.)

TABLE OF CONTENTS

Safety Precautions ---------- 01

After-sale Policy ---------- 02

Point of Assembly ---------- 03

Parts Checking ---------- 04

Assembly① ---------- 05

Assembly② ---------- 06

Assembly③ ---------- 07

Function Description ---------- 08

Safety Precautions

The precautions written here are to prevent harm or damage to you or others.
All of these are important contents for safe use, so be sure to observe them.

WARNING	Ignoring this instruction and using the product incorrectly may result in serious injury.	**ATTENTION**	Ignoring this instruction and using the product incorrectly may result in injury or property damage.

WARNING

CAUSE OF SUFFOCATION
Do not cover your head with the plastic bag used for packaging.

CAUSE OF EXPLOSION
Do not disassemble or lubricate the gas cylinder.
Do not put the gas cylinder into fire.
Do not incinerate.

CAUSE OF FALL
Do not stand on the chair, use it as a stepping stone, or place it in an unstable position.
Do not sit on the armrests or lean on the backrest, or sit on only part of the seat.
Do not use the chair on slippery floors.

CAUSE OF POISONING
Incineration may produce toxic gases.

ATTENTION

CAUSE OF INJURY OR DAMAGE
Be sure to assemble on a stable, flat surface.
Be careful not to get your hands or fingers caught in the casters or reclining parts.
When turning the chair, pay attention to your surroundings
Do not use it for anything other than its intended purpose.

CAUSE OF DISCOLORATION AND DEFORMATION
This product is for indoor or indoor use.
Outdoor use or getting wet may cause malfunction, rust or discoloration.
Avoid using the product in a place exposed to direct sunlight or heat such as a stove, or in a place with significant humidity or dryness.
※In addition to the above, please be sure to avoid other dangerous behaviors.

Care of Upholstery:

Gently scrub the surface with a soft brush, or use a vacuum cleaner to remove dust from seams and crevices.
If it gets dirty, just dab it with a soft cloth dampened with a small amount of diluted neutral detergent. Then, wipe off the cleaner with a towel dampened with a little water.

Care of Metal and Resin Parts:

Wipe with a soft dry cloth. If it gets dirty, wipe it with a diluted neutral detergent, then wipe it with a wrung cloth, and then wipe it with a dry cloth to completely remove the detergent and water.

After-sale Policy

【Manufacturer warranty】

(1) 365 days quality assurance

① Within 365 days from the date of order, if there is a failure or breakdown under the conditions of use in accordance with the instruction manual, we will replace the parts for free, or replace the product at our discretion.
② The following cases are not covered by the warranty even within the warranty period (paid maintenance).

a. Damage caused by transportation, movement, drop and other reasons after delivery.
b. Malfunctions caused by failure to observe the precautions or specified conditions stated in the instruction manual, labels, packaging, etc., or malfunctions caused by incorrect use exceeding the limits.
c. Product damage repaired by anyone other than the our company or the designated supplier.
d. Damage caused by natural disasters such as earthquakes, fires, lightning strikes, wind disasters, floods, salt damage, or other external factors.
e. If the warranty card or order number is presented, the warranty period cannot be confirmed.
f. Leather (fabric) wear, synthetic leather hydrolysis or hardening, genuine leather discoloration or cracking, sun fading, etc.
g. Abrasions, scratches, stains, discoloration, etc. caused by daily use.
h. Wear on casters, etc.
i. In the case of other defects caused by the negligence of the customer.

(2) 30-day Return and Money Back Guarantee

(Non-Amazon orders follow the rules of the corresponding platform)
Refunds will be processed automatically upon return of the product to Amazon's designated location within 30 days of the date of your order, as long as you follow Amazon's return policy instructions.
※Please refer to the above link for the return method and return conditions.
※Original manufacturer packaging is required for returns. Please do not discard the original boxes.

【Other notes】

・The warranty information on this page promises to repair the product free of ctharge within the warranty period and conditions specified in the instruction manual.
・The warranty information provided on this page does not limit your legal rights, so if you have any questions about repairs after the warranty period , please contact us by email.
・365-day quality assurance is a service that provides support (guarantee) for 365 days from the date of your order. After ordering a new replacement product, the warranty period will not be extended again.
・When lending or transferring our products to a third party, be sure to attach the order number and instruction manual together. In addition, we are not responsible for any trouble caused by the act of lending or transferring.
・After-sales service rights such as return and replace are applicable only to the customer who purchased the product. After-sales service rights are not transferred even if the product is lent or transferred to a third party.
・When replacing parts or products, we may use alternatives with a different appearance.
・If the warranty has expired, we will provide after-sales service, but the customer will bear the freight and other costs.
・The warranty information on this page is valid only in NA.
・Except for special circumstances, the warranty provided on this page is valid only for the personal use of the product.
・If you would like to replace the product under warranty, you must return the original product to us. After confirmation by our customer support, you need to return the product within a certain period of time. Please note that if you change the time of return without contacting us in advance, you may not be covered by the warranty.
・We do not provide repair services.
・We do not sell assembled products.

About Your Personal information

The Company and its affiliated companies (hereinafter referred to as "the Company") will handle personal information (hereinafter referred to as "personal information") such as the customer's name and address provided by the customer as follows.
1. We will use your personal information to respond to inquiries about our products, repair and confirm them, develop new products, etc., and keep a record of the contents of your consultation for these purposes. there is.
2. Personal information will not be disclosed or provided to third parties outside the company, except when the company entrusts a cooperative company to carry out maintenance, it is necessary to perform business or exercise the authority stipulated by laws and regulations, or there are other legitimate purposes
3. When the person requests disclosure of personal information, we will disclose it to the person without delay. If you wish to be notified of the purpose of use of personal information, correct, add, delete, stop using, or stop providing to third parties, please ontact us at our email address.


Point of Assembly

How to tighten screws


Do not tighten the screws from the beginning

● Tighten all the screws only in halfway at the beginning of the assembly, otherwise the screws might not be aligned with the screw holes and cause further distortion of the chair.

1 Temporarily tighten all screws to 80%




2 Finally, tighten all the screws firmly.



How to tighten the diagonal screws


① Install the first screw into any hole and then install the second screw diagonally.
② Install the remaining screws.




Please lay the carpet

To protect the floor, place a rug under the unit as shown in the illustration.

・Thick cloth
・Packing cardboard, etc.




Parts Checking



A X1

Backrest




B X1

Cushion



C X1

Backrest Support



D X1

Tilt Mechanism



E X1

Cylinder



F X1

Base1




G X5

Base2



H X5

Caster



I M6*30MM X2+1

Screws on top of backrest support



J M6*16MM X7+1

Tilt Mechanism Screws/Screws at the bottom of backrest support



K M6*10MM X5+1

Screws at the base



L X1


Allen Key


※In the event of missing parts or initial failure, please contact our customer support.


Assembly ①

1 Installation of Base

・Turn over Base-1 and insert the Base-2 into the correct position, and then tighten the k screws.
※ Base2: Feet of Base; Base1: Core of Base.









2 Installation of Casters

・Insert the casters firmly as shown.
※ To prevent the casters from coming off, it is a bit difficult to insert.







Assembly ②

3 Installation of Gas Cylinder


・Insert the gas cylinder into the base as shown.
※ The cylinder is coated with lubricating oil.
Be careful not to get your hands, clothed, or floor dirty.






4 Installation of Tilt Mechanism

・Place the seat cushion on a stable place such as a table, attach the tilt mechanism and then tighten it using the hex wrench and J screws.
※ Please note the orientation of the tilt mechanism.
※ Note the order in which the screws are tightened.






Assembly ③


5 Installing the Backrest

・Place the backrest on a stable place such as a table. Press the seat cushion down from above. Align the steel plate with the three holes on the seat and screw in the J screws.（Install the top two screws first, then the bottom screws）




6 IInstallation of Cushion



・Assemble the upper and lower parts of the chair as shown.
※ If lack of energy, or install it by yourself, please place the upper side of the chair on the ground, insert the gas cylinder into the tilt mechanism, and pick up the chair.



Function Description

1.Height Adjustment




lower the seat height 	raise the seat height 
raise the lift lever while sitting 	raise the lift lever and lift your hips 
Precautions ●light weight people may have difficulty lowering the seat. In that case,please sit on the seat and try a few more times.	

Customer service : ✉Dowinx@vip.126.com
We will get back to you as soon as possible.
Please be sure to provide us with the necessary information above.
※ We will properly handle the personal information we receive, please check the policy (page.02) for details.

If you have any questions about our products or our policies, please feel free to contact us.









DOWINX

목차

안전 주의사항 ---------- 01

A/S 정책 ---------- 02

조립 시 주의사항 ---------- 03

부품 확인 ---------- 04

조립 1 ---------- 05

조립 2 ---------- 06

조립 3 ---------- 07

기능 설명 ---------- 08

⚠ 안전 주의사항

여기에 기재된 주의사항은 사용자 또는 타인에게 발생할 수 있는 상해나 손상을 방지하기 위한 것입니다.모든 내용은 안전한 사용을 위한 중요한 사항이므로 반드시 준수해 주시기 바랍니다.

⚠ 경고	이 지시를 무시하고 제품을 잘못 사용할 경우, 심각한 부상을 초래할 수 있습니다.	⚠ 주의	이 지시를 무시하고 제품을 잘못 사용할 경우, 부상 또는 재산상의 손해가 발생할 수 있습니다.

⚠ 경고

질식의 원인
포장용 비닐봉지를 머리에 덮지 마십시오.

폭발의 원인
가스 실린더를 분해하거나 윤활하지 마십시오.
가스 실린더를 불 속에 넣지 마십시오.
소각하지 마십시오.

추락의 원인
의자 위에 올라서거나 발판으로 사용하거나, 불안정한 위치에 두지 마십시오.
팔걸이에 앉거나 등받이에 기대거나 좌석의 일부에만 앉지 마십시오.
미끄러운 바닥에서 의자를 사용하지 마십시오.

중독의 원인
소각 시 유독 가스가 발생할 수 있습니다.

⚠ 주의

부상 또는 손상의 원인
반드시 안정적이고 평평한 바닥에서 조립하십시오.
캐스터 또는 리클라이닝 부위에 손이나 손가락이 끼이지 않도록 주의하십시오.
의자를 회전할 때 주변 환경에 주의하십시오.
제품은 본래 용도 이외의 목적으로 사용하지 마십시오.

변색 및 변형의 원인
본 제품은 실내용입니다.
실외 사용 또는 물에 젖을 경우 고장, 녹, 변색이 발생할 수 있습니다.
직사광선이 닿는 장소, 난로나 히터 등 열원 근처, 또는 습도가 높거나 매우 건조한 장소에서의 사용을 피하십시오.
※ 위 사항 외에도 기타 위험한 행동은 반드시 피하십시오.

내장재 관리:
부드러운 브러시로 표면을 가볍게 문지르거나, 진공청소기를 사용하여 이음새와 틈새의 먼지를 제거하십시오.
오염이 발생한 경우에는 소량의 중성 세제를 희석한 물에 적신 부드러운 천으로 가볍게 두드리듯 닦아 주십시오.

금속 및 수지 부품 관리:
부드러운 마른 천으로 닦아 주십시오.
오염이 있는 경우에는 희석한 중성 세제를 사용하여 닦은 후, 물기를 꼭 짠 천으로 다시 닦아 주십시오.
그 다음 마른 천으로 한 번 더 닦아 세제와 물기를 완전히 제거해 주십시오.

A/S 정책

[제조사 보증]

(1) 365일 품질 보증

1. 주문일로부터 365일 이내, 사용설명서에 따라 정상적인 사용 조건에서 고장 또는 결함이 발생한 경우, 부품을 무상으로 교체하거나 당사의 판단에 따라 제품을 교환해 드립니다.
2. 다음의 경우는 보증 기간 내라도 보증 대상에서 제외되며(유상 수리), 아래와 같습니다:

a. 배송 후 운송, 이동, 낙하 등으로 인한 손상
b. 사용설명서, 라벨, 포장 등에 기재된 주의사항 또는 사용 조건을 준수하지 않아 발생한 고장, 또는 사용 범위를 초과한 잘못된 사용으로 인한 고장
c. 당사 또는 지정 업체 이외의 수리로 인한 제품 손상
d. 지진, 화재, 낙뢰, 풍수해, 침수, 염해 등 자연재해 또는 외부 요인으로 인한 손상
e. 보증서 또는 주문 번호로 보증 기간 확인이 불가능한 경우
f. 가죽(패브릭) 마모, 합성가죽의 가수분해 또는 경화, 천연가죽의 변색 또는 균열, 자외선에 의한 변색 등
g. 일상 사용으로 인한 마모, 긁힘, 얼룩, 변색 등
h. 캐스터 등의 소모품 마모
i. 고객 과실로 인해 발생한 기타 결함

(2) 30일 반품 및 환불 보장

(아마존 이외 주문은 해당 플랫폼 규정을 따릅니다)
주문일로부터 30일 이내에는 쿠팡의 반품 정책에 따라 반품이 가능합니다.
반품 방법 및 조건은 위 안내 링크를 참고해 주시기 바랍니다.
※ 반품 방법 및 반품 조건 등에 대해서는 위 링크를 통해 확인해 주시기 바랍니다.
※ 반품 시에는 반드시 제조사의 원래 포장재가 필요합니다. 제품 박스(골판지 상자)를 폐기하지 않도록 부탁드립니다.

【기타 주의사항】

・본 페이지에 안내된 보증은 사용설명서에 명시된 보증 기간 및 조건에 따라 무상 수리를 보장하는 것입니다.
・또한 본 페이지의 보증 내용은 고객의 법적 권리를 제한하는 것이 아니므로, 보증 기간이 지난 후의 수리에 대해 궁금한 사항이 있으시면 전화 또는 이메일로 당사에 문의해 주시기 바랍니다.
・365일 품질 보증은 주문일로부터 365일 동안 지원(보증)을 제공하는 서비스입니다. 교환용 신제품이 제공되더라도 보증 기간은 다시 연장되지 않습니다.
・당사 제품을 제3자에게 대여하거나 양도하는 경우에는 반드시 주문번호와 사용설명서를 함께 전달해 주시기 바랍니다. 또한 대여 또는 양도로 인해 발생한 문제에 대해서는 당사가 일체의 책임을 지지 않습니다.
・반품·교환 등의 애프터서비스 권리는 제품을 구매한 본인에게만 적용됩니다. 제품을 제3자에게 대여하거나 양도하더라도 애프터서비스 권리는 이전되지 않습니다.
부품 교체 또는 제품 교체 시 외관이 다른 대체품이 제공될 수 있습니다.
・보증 기간이 종료된 경우에도 애프터서비스를 제공할 수 있으나, 운임 및 기타 제반 비용은 고객 부담입니다.
・본 페이지에 제공된 보증은 한국 내에서만 유효합니다.
・특별한 경우를 제외하고, 본 페이지에 안내된 보증은 제품을 고객 개인이 사용하는 경우에만 유효합니다.
・제품 교환 보증을 받으시는 경우, 고객께서는 교환 대상 제품을 당사로 반송해 주셔야 합니다.
・고객지원센터를 통해 보증 적용이 확정된 후, 지정된 기간 내에 해당 제품을 반송해 주시기 바랍니다. 사전 연락 없이 반송 시점을 변경할 경우 보증 서비스를 받지 못할 수 있으므로 양해 부탁드립니다.
・당사는 수리 서비스를 제공하지 않습니다.
・당사는 조립 완료된 제품을 판매하지 않습니다.

고객 개인정보 처리에 대하여

당사 및 당사 관계회사(이하 "당사")는 고객님께서 제공해 주신 성명, 주소 등의 개인정보(이하 "개인정보")를 아래와 같이 처리합니다.

당사는 고객님의 개인정보를 당사 제품에 대한 상담 대응, 수리 및 그 확인, 신제품 개발 등에 이용하며, 이러한 목적을 위해 상담 내용을 기록으로 보관할 수 있습니다.
수리 및 관련 확인 업무를 당사의 협력업체에 위탁하는 경우, 법령에 따른 업무 수행 또는 권한 행사를 위해 필요한 경우, 기타 정당한 사유가 있는 경우를 제외하고 당사 이외의 제3자에게 개인정보를 공개·제공하지 않습니다.
본인이 개인정보의 열람을 요청하는 경우, 당사는 지체 없이 이를 제공해 드립니다. 또한 개인정보 이용 목적의 통지, 정정, 추가, 삭제, 이용 정지, 제3자 제공 중지를 원하시는 경우 당사 이메일로 연락해 주시기 바랍니다.

조립 포인트

나사 조임 방법

나사는 처음부터 너무 강하게 조이지 마십시오.

● 처음부터 나사를 강하게 조이면 다른 나사 구멍의 위치가 맞지 않아 조립이 불가능할 수 있으며, 전체 구조가 비뚤어지는 원인이 됩니다.

1 모든 나사를 약 80% 정도만 임시로 조여 고정합니다.




2 마지막에 모든 나사를 단단히 완전히 조여 줍니다.



대각선 나사 조임 방법

① 먼저 임의의 위치에 첫 번째 나사를 설치한 후, 그 대각선 위치에 두 번째 나사를 설치합니다.
② 이후 나머지 나사를 순서대로 설치합니다.




바닥 보호를 위해 천 등을 깔고 조립하십시오


바닥면 보호를 위해 그림과 같이 본체 아래에 깔개를 깔아 주십시오.

・두꺼운 천

・포장용 골판지(박스) 등




부품 확인



A X1

등받이




B X1

좌면 쿠션



C X1

등받이 지지대



D X1

틸트 메커니즘



E X1

가스 실린더



F X1

베이스



G X5

베이스2



H X5

캐스터



I M6*30MM X2+1

등받이 지지대 상단



J M6*16MM X7+1

틸트 메커니즘 나사 / 등받이 지지대 하단 나사



K M6*10MM X5+1

베이스 나사



L X1


육각 렌치

※부품 누락 또는 초기 불량이 발생한 경우, 고객센터로 문의해 주시기 바랍니다.

조립 1


1 베이스 설치


• 베이스-1을 뒤집은 후 베이스-2를 정확한 위치에 끼우고 나사를 조여 고정합니다.
※ 베이스-2: 베이스의 다리 부분
베이스-1: 베이스의 중심 부분



2 캐스터 설치

• 그림과 같이 캐스터를 끝까지 단단히 삽입해 주십시오.
※ 캐스터가 빠지는 것을 방지하기 위해 약간 단단하게 설계되어 있습니다.






조립 2


3 가스 실린더 설치


• 그림과 같이 가스 실린더를 베이스에 삽입해 주십시오.
※ 실린더에는 윤활유가 도포되어 있습니다. 손, 의류, 바닥이 오염되지 않도록 주의해 주십시오.



4 틸트 메커니즘 설치

• 좌면 쿠션을 테이블 등 안정된 곳에 올려 놓고, 틸트 메커니즘을 장착한 뒤 육각 렌치와 J 나사를 사용하여 단단히 고정해 주십시오.
※ 틸트 메커니즘의 방향에 주의해 주십시오.






조립 3


5 등받이 설치

• 등받이를 테이블 등 안정된 곳에 놓아 주십시오.
좌면 쿠션을 위에서 눌러 고정한 상태로, 강판을 좌면의 3개 구멍에 맞춘 뒤 J 나사를 체결해 주십시오.



6 좌면 설치




• 그림과 같이 의자의 상단과 하단 부분을 조립해 주십시오.
※ 힘이 부족하거나 혼자 설치하는 경우, 의자 상단을 바닥에 놓고 틸트 메커니즘에 가스 실린더를 삽입한 후 의자를 들어 올려 결합해 주십시오.



기능 설명

1.높이 조절



좌면을 낮추고 싶을 때	좌면을 높이고 싶을 때
	
앉은 상태에서 레버를 올립니다.	엉덩이를 살짝 들고 레버를 올립니다.
	

주의 사항

●체중이 가벼운 경우 좌면이 잘 내려가지 않을 수 있습니다.
이 경우 다시 의자에 앉아 몇 차례 체중을 실어 조작해 주십시오.

보증서

보증 기간 중에는 당사의 보증 내용에 따라 무상 또는 유상으로 애프터서비스를 제공합니다.


제품명			
주문 번호			
구매일	연 / 월	보증 기간	구매일로부터 __년
성함		판매점명	
주소		판매점 주소	
전화번호		전화번호	

고객 서비스: Dowinx@vip.126.com
보다 신속한 대응을 위해 문의 시 반드시 위의 필요 정보를 함께 알려주시기 바랍니다.
※ 제공해 주신 개인정보는 당사가 관리하며, 자세한 내용은 개인정보 처리방침(page.02)을 참고해 주십시오.

유한회사 도윈스
DOWINX Co.,Ltd.

경상남도 김해시 전하로 83, 4층 159호(흥동, 탄탄빌딩)
Mail:dowinx@vip.126.com
(TEL)010-5817-7018

품 명 :	레저 체어	마 감 재 :	테디 플리스
모 델 명 :	QL-66H6	쿠 션 재 :	폴리우레탄 폼
색 상 :	/	제 조 연 월 :	2026년 07월
외형치수 :	58×45×14CM	제 조 자 명 :	Hangzhou Quli Technology Co., Ltd
제 품 무 게 :	8.6KG	제 조 국 :	중국
포장포함중량 :	10KG	수 입 자 명 :	유한회사 도원스
구 조 부 재 :	합성수지, 스틸 프레임	주 소 :	경상남도 김해시 전하로 83, 4층 159호(흥동, 탄탄빌딩)
고 객 센 터 :	010-5817-7018		
취급상 주의 사항	1.과도한 습기 및 직사광선 또는 열을 피해 주십시오.		
	2.제품 오염 시 중성세제로 닦고 습기를 제거해 주십시오.		
	3.모서리에 부딪혀 다칠 수 있으니 주의해 주십시오.		
	4.가구에서 떨어지거나 넘어지지 않도록 주의해 주십시오.		
	본 제품은 소비자기본법에 의한 소비자 분쟁 해결 기준에 의거 교환 또는 보상을 받을 수 있습니다.		



DOWINX

© 2026 Dowinx Components, Inc. All rights reserved.
Dowinx and the language logo are registered trademarks in the United States and/or other countries.
The appearance patent of 66H6 has been registered in the United States, Europe and Japan.
Product may vary slightly from those pictured.